

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	orthogonal adj support near4 distance	USPAT	OR	ON	2009/05/10 18:16
L2	5	orthogonal adj support near4 (apart distance)	USPAT	OR	ON	2009/05/10 18:17
L3	1	("4008757").PN.	USPAT; USOCR	OR	OFF	2009/05/10 18:32
L4	0	3 and (radius radii)	USPAT	OR	OFF	2009/05/10 18:33
L5	25	(US-20070076836-\$).did. or (US-4379119-\$ or US-4008757-\$ or US-3986581-\$ or US-4585611-\$ or US-4060452-\$ or US-3801454-\$ or US-5772420-\$ or US-5991353-\$ or US-5864594-\$ or US-5550883-\$ or US-5245639-\$ or US-5097583-\$ or US-RE33373-\$ or US-4756877-\$ or US-4716010-\$ or US-4684492-\$ or US-4199403-\$ or US-4174999-\$ or US-4100021-\$ or US-4053359-\$ or US-4050986-\$).did. or (US-4379119-\$ or BE-845064-\$ or US-3986581-\$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2009/05/10 18:50
L6	3803	((376/260,302,303,304,381,382) or (165/67,68) or (122/510)).CCLS.	USPAT; USOCR	OR	OFF	2009/05/10 18:53
L7	83	6 and (vertical lateral) near4 support and contact near3 surface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 18:54
L8	2	((fortier near2 fredrik).in. pebble.as.) and (vertical lateral) near4 support.ti,ab,clm. and contact near3 surface.ti,ab,clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 18:56
L9	3740	(vertical lateral) near4 support.ti,ab,clm. and contact near3 surface.ti,ab,clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 18:57
L10	4	(vertical lateral) near4 support.ti,ab,clm. and contact near3 surface.ti,ab,clm. and core adj barrel.ti,ab,clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 18:57
L11	2	(vertical lateral) near4 support.clm. and contact near3 surface.clm. and core adj barrel.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 18:58

L12	1	(vertical lateral) near1 support.clm. and contact near3 surface.clm. and core adj barrel.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 18:59
S1	6	"568460".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 12:02
S2	1	(US-20070076836-\$).did.	US-PGPUB	OR	ON	2008/09/21 12:03
S3	10	((("3986581") or ("4008757") or ("4379119"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/21 12:04
S4	6	(US-4379119-\$ or US-4008757-\$ or US-3986581-\$).did. or (US-4379119-\$ or BE-845064-\$ or US-3986581-\$).did.	USPAT; DERWENT	OR	ON	2008/09/21 12:07
S5	0	gb-889758\$-\$).did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 12:08
S6	0	gb-0889758\$-\$).did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 12:08
S7	0	williams.in. and @pd="19620221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 12:09
S8	1	(US-20070076836-\$).did.	US-PGPUB	OR	ON	2008/09/21 15:43
S9	1	S8 and elastic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 15:43
S10	1	S8 and lower adj lateral adj support	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 15:47
S11	1	S8 and auxiliary adj support	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 15:52

S12	1	S8 and gear adj wheel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 15:54
S13	1	S8 and intermediate adj member	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 15:56
S14	1	S8 and roller	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 15:58
S15	6248	bearing adj surfaces near6 roller	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 16:00
S16	4	bearing adj surfaces near6 roller and core adj barrel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 16:00
S17	33	bearing adj surfaces near6 roller and (pressure adj vessel rpv)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 16:02
S18	34	bearing adj surfaces near6 roller and (pressure adj vessel prv rpv)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 16:03
S19	190	bearing adj surfaces near6 roller near6 (slide sliding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 17:22
S20	106	bearing adj surfaces near6 roller near6 (slide sliding) and @ad<"20030101"	USPAT	OR	ON	2008/09/21 17:22
S21	1	(US-20070076836-\$).did.	US-PGPUB	OR	ON	2008/09/21 21:13
S22	1	S21 and circumferentially adj spaced adj lower	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 21:14

S23	1	S21 and elastic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 21:15
S24	1	S21 and (protrusion protruding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 21:17
S25	1	S21 and (formulation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 21:18
S26	0	S21 and (elastic near10 (inner near10 outer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 21:19
S27	1	S21 and (inner near6 outer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 21:22
S28	1	S21 and (elastically adj deformable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 21:23
S29	1	S21 and (circumferentially adj spaced near10 (lateral adj support))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 21:26
S30	1	S21 and (circumferentially adj spaced near10 (lower adj lateral adj support))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 21:28
S31	1	S21 and (lower adj lateral adj support)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 21:28
S32	1	S21 and (guide adj beam near10 adjustable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 21:30

S33	1	S21 and (guide adj beam same adjustable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 21:30
S34	1	S21 and (guide adj beam)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 21:31
S35	1	S21 and (resiliently adj deformable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 22:08
S36	1	S21 and (lower adj lateral adj support)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 22:16
S37	1	S21 and (lateral adj support)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 22:16
S38	1	S21 and (auxiliary near20 seismic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 22:25
S39	211	high-temperature adj gas adj cooled adj reactor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 22:38
S40	305431	high-temperature adj gas adj cooled adj reactor and core barrel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 22:38
S41	3	high-temperature adj gas adj cooled adj reactor and core adj barrel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 22:38
S42	5	"446823".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/22 14:05

S43	1	(US-20070076836-\$.did.	US-PGPUB	OR	ON	2008/11/09 21:59
S44	1928	((376/260) or (376/302) or (376/303) or (376/304) or (376/381) or (376/382)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/10 07:34
S45	14	S44 and core adj barrel.ti,ab,clm. and support.ti,ab,clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 07:35
S46	7	S44 and core adj barrel.ti,ab,clm. and support.ti,ab,clm. and (cylindrical curved convex concave).clm,ti,ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 07:37
S47	84	("high" adj temperature high\$1temperature) near2 gas\$1cooled.ti,ab,clm. and "376"/\$7.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 07:39
S48	51	("high" adj temperature high\$1temperature) near2 gas\$1cooled.ti,ab,clm. and "376"/\$7.ccls.	USPAT	OR	ON	2008/11/10 07:40
S49	8	("high" adj temperature high\$1temperature) near2 gas\$1cooled.ti. and "376"/\$7.ccls.	USPAT	OR	ON	2008/11/10 07:41
S50	1	("high" adj temperature high\$1temperature) near2 gas\$1cooled.ti. and core adj barrel.ti. and "376"/\$7.ccls.	USPAT	OR	ON	2008/11/10 07:42
S51	6	S44 and core adj barrel.clm. and support.clm. and (cylindrical curved convex concave).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 07:45
S52	0	S44 and core adj barrel.clm. and support.clm. and (cylindrical curved convex concave) near3 surface.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 07:46
S53	0	S44 and core adj barrel.clm. and support.clm. and (cylindrical curved convex concave) near6 surface.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 07:46
S54	9	core adj barrel.clm. and support.clm. and (cylindrical curved convex concave) near6 surface.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 07:46

S55	1	core adj barrel.clm. and support.clm. and (cylindrical curved convex concave) near6 surface.clm. and (high\$1temperature "high" adj temperature) near2 (gas\$1cooled gas adj cooled).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 07:47
S56	1	(fortier.in. pebble adj bed.as.) and core adj barrel.clm. and support.clm. and (cylindrical curved convex concave) near6 surface.clm. and (high\$1temperature "high" adj temperature) near2 (gas\$1cooled gas adj cooled).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 07:49
S57	1	(US-20070076836-\$).did.	US-PGPUB	OR	OFF	2009/05/10 11:52
S58	0	("1andsupportadjarrangement").PN.	USPAT; USOCR	OR	OFF	2009/05/10 12:19
S59	1	S57 and support adj arrangement	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 12:19
S60	1	S57 and support adj arrangement	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 12:19
S61	1	S57 and lateral adj support	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 12:26
S62	1	S57 and upper near6 lower near6 (support adj member)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 12:56
S63	1	S57 and inner near10 outer near10 (support adj member)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 13:05
S64	1	S57 and roller adj element	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 13:11
S65	1	S57 and roller	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 13:12

S66	1	S57 and radius near10 convex near10 concave	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 13:15
S67	1	S57 and intermediate adj2 member	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 13:17
S68	1	S57 and gear adj wheel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 13:25
S69	1	S57 and bearing adj surface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 13:36
S70	1	S57 and deformable near4 support	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 13:41
S71	1	S57 and support adj2 post	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 13:46
S72	1	S57 and lower adj lateral adj supports	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 13:50
S73	1	S57 and ("300" lower adj lateral adj supports)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 13:52
S74	1	S57 and ("300" lower adj support adj ring)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 14:17
S75	0	S57 and (auxiliary adj support adj "means")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 14:19

S76	1	S57 and (auxiliary adj support)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 14:20
S77	1	S57 and (support adj2 beam)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 14:29
S78	1	S57 and (slots)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 14:35
S79	1	S57 and (clearance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 14:37
S80	1	S57 and (skirt)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 14:40
S81	1	S57 and (rib near10 slot)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 14:48
S82	3	((("3986581") or ("4008757") or ("4379119"))). PN.	USPAT; USOCR	OR	OFF	2009/05/10 15:14
S83	1	(US-20070076836-\$).did.	US-PGPUB	OR	OFF	2009/05/10 15:17
S84	0	(US-20070076836-\$).did. and "embodiment"	US-PGPUB	OR	OFF	2009/05/10 15:17
S85	0	(US-20070076836-\$).did. and "embodiment"	US-PGPUB	OR	ON	2009/05/10 15:18
S86	0	("supportnear4vessel.ti,ab,clm.").PN.	USPAT	OR	OFF	2009/05/10 16:42
S87	2735	support near4 vessel.ti,ab,clm.	USPAT	OR	OFF	2009/05/10 16:42
S88	113	support near4 vessel.ti.	USPAT	OR	ON	2009/05/10 16:43
S89	85	support near4 vessel.ti. and @ad<"20030816"	USPAT	OR	ON	2009/05/10 16:43

5/ 10/ 2009 6:59:30 PM

C:\ Documents and Settings\ jmond\ My Documents\ EAST\ Workspaces\ 10568460.wsp